Journal of Crystal Growth 93 (1988) 942–953
North-Holland, Amsterdam

AUTHOR INDEX

Abe, H., T. Nakamori, T. Kanamori and S. Shibata, High-T_c superconducting film growth by OMCVD 93 (1988) 929
Abys, S.M., see Lum 93 (1988) 120
Acher, O., see Razeghi 93 (1988) 776
Ackaert, A., see Demeester 93 (1988) 940
Aina, L., M. Mattingly, A. Fathimulla, E.A. Martin, T. Loughran and L. Stecker, OMVPE growth of AlInAs and device quality AlInAs-based heterostructures 93 (1988) 911
Akasaki, I., see Amano 93 (1988) 79
Akiyama, M., see Onozawa 93 (1988) 443
Akiyama, M., see Ueda 93 (1988) 517
Akiyama, M., see Horikawa 93 (1988) 523
Amano, H., K. Hiramatsu, M. Kito, N. Sawaki and I. Akasaki, Zn related electroluminescent properties in MOVPE grown GaN 93 (1988) 79
Andersson, J.Y. and U. Westergren, Characterization of MOVPE-grown AlGaAs/GaAs single quantum wells by intersubband infrared absorption 93 (1988) 307
Andersson, S.G., see Landgren 93 (1988) 646
Ando, K., see Ohki 93 (1988) 692
Aoyagi, Y., see Meguro 93 (1988) 190
Aoyagi, Y., see Nagata 93 (1988) 265
Asaka, T., see Yamasaki 93 (1988) 673
Aspnes, D.E., see Colas 93 (1988) 931
Arai, S., see Dasté 93 (1988) 365
Araki, S., see Fujita 93 (1988) 1

Baets, R., see Demeester 93 (1988) 940
Baillargeon, J.N., see York 93 (1988) 512
Balk, P., see Brauers 93 (1988) 7
Balk, P., see Lückerath 93 (1988) 151
Balk, P., see Meyer 93 (1988) 285
Balk, P., see Grützmacher 93 (1988) 382
Ban, Y., S. Kimura, M. Morisaki, M. Ogura and J. Shibata, InGaAsP/InP heterojunction bipolar transistor grown by MOVPE 93 (1988) 924
Baratte, H., see Tischler 93 (1988) 631
Basmaji, P., A. Leycuras, J. Leymarie, P. Gibart, D. Gauthier, J.C. Portal and B. Gil, MOVPE of $Al_xGa_{1-x}As$ alloys above 850 °C 93 (1988) 83
Bauer, R.K., see Engel 93 (1988) 359
Baumeister, H., see Veuhoff 93 (1988) 650
Baxter, C.S., see Monserrat 93 (1988) 466
Beaudoin, M., see Benzaquen 93 (1988) 562
Beckham, C., see Tompa 93 (1988) 220
Bedair, S.M., B.T. McDermott, Y. Ide, N.H. Karam, H. Hashemi, M.A. Tischler, M. Timmons, J.C.L. Tarn and N. El-Masry, Recent progress in atomic layer epitaxy of III–V compounds 93 (1988) 182
Bedair, S.M., see Karam 93 (1988) 254
Bedair, S.M., see Hamaguchi 93 (1988) 449
Bekkaoui, A., see Monteil 93 (1988) 270
Beneking, H., see Woelk 93 (1988) 216
Benzaquen, M., D. Walsh, M. Beaudoin, K. Mazuruk and N. Puetz, Evidence for deep centers in n-InP grown by MOVPE 93 (1988) 562
Beyler, C.A., see DenBaars 93 (1988) 195
Bhat, R., E. Kapon, D.M. Hwang, M.A. Koza and C.P. Yun, Patterned quantum well heterostructures grown by OMCVD on non-planar substrates: applications to extremely narrow SQW lasers 93 (1988) 850
Bhat, R., J.R. Hayes, H. Schumacher, M.A. Koza, D.M. Hwang and M.H. Meynadier, High gain InP/InGaAs heterojunction bipolar transistors grown by OMCVD 93 (1988) 919
Bhat, R., see Colas 93 (1988) 931
Bhat, R., Y. Lo, C. Caneau, D.M. Hwang, C. Zah and M.A. Koza, Low pressure OMCVD growth of device quality GaAs on InP substrates for OEIC applications 93 (1988) 939
Bigan, E., see Razeghi 93 (1988) 776
Bimberg, D., see Engel 93 (1988) 359
Binsma, J.J.M., see Thijs 93 (1988) 863
Blackmore, G.W., see Shenai-Khatkhate 93 (1988) 744
Bottka, N., see Gaskill 93 (1988) 127
Bottka, N., D.K. Gaskill, R.J.M. Griffiths, R.R. Bradley, T.B. Joyce, C. Ito and D. McIntyre, Photoreflectance characterization of OMVPE GaAs on Si 93 (1988) 481
Bouix, J., see Monteil 93 (1988) 159
Bouix, J., see Monteil 93 (1988) 270
Bouley, J.-C., see Mircea 93 (1988) 235
Bradley, R.R., see Bottka 93 (1988) 481
Brauers, A., O. Kayser, R. Kall, H. Heinecke, P. Balk and H. Hofmann, The use of organic As precursors in the low pressure MOCVD of GaAs 93 (1988) 7
Briggs, A.T.R., see Thrush 93 (1988) 870
Brillouet, F., see Razeghi 93 (1988) 776
Brinkman, A.W., see Clifton 93 (1988) 726
Brinkman, A.W., see Mullins 93 (1988) 755
Brown, P.D., see Clifton 93 (1988) 726
Brown, R.A., see Wang 93 (1988) 228

Journal of Crystal Growth 93 (1988) 942–953
North-Holland, Amsterdam

AUTHOR INDEX

Abe, H., T. Nakamori, T. Kanamori and S. Shibata, High-T_c superconducting film growth by OMCVD 93 (1988) 929
Abys, S.M., see Lum 93 (1988) 120
Acher, O., see Razeghi 93 (1988) 776
Ackaert, A., see Demeester 93 (1988) 940
Aina, L., M. Mattingly, A. Fathimulla, E.A. Martin, T. Loughran and L. Stecker, OMVPE growth of AlInAs and device quality AlInAs-based heterostructures 93 (1988) 911
Akasaki, I., see Amano 93 (1988) 79
Akiyama, M., see Onozawa 93 (1988) 443
Akiyama, M., see Ueda 93 (1988) 517
Akiyama, M., see Horikawa 93 (1988) 523
Amano, H., K. Hiramatsu, M. Kito, N. Sawaki and I. Akasaki, Zn related electroluminescent properties in MOVPE grown GaN 93 (1988) 79
Andersson, J.Y. and U. Westergren, Characterization of MOVPE-grown AlGaAs/GaAs single quantum wells by intersubband infrared absorption 93 (1988) 307
Andersson, S.G., see Landgren 93 (1988) 646
Ando, K., see Ohki 93 (1988) 692
Aoyagi, Y., see Meguro 93 (1988) 190
Aoyagi, Y., see Nagata 93 (1988) 265
Asaka, T., see Yamasaki 93 (1988) 673
Aspnes, D.E., see Colas 93 (1988) 931
Arai, S., see Dasté 93 (1988) 365
Araki, S., see Fujita 93 (1988) 1

Baets, R., see Demeester 93 (1988) 940
Baillargeon, J.N., see York 93 (1988) 512
Balk, P., see Brauers 93 (1988) 7
Balk, P., see Lückerath 93 (1988) 151
Balk, P., see Meyer 93 (1988) 285
Balk, P., see Grützmacher 93 (1988) 382
Ban, Y., S. Kimura, M. Morisaki, M. Ogura and J. Shibata, InGaAsP/InP heterojunction bipolar transistor grown by MOVPE 93 (1988) 924
Baratte, H., see Tischler 93 (1988) 631
Basmaji, P., A. Leycuras, J. Leymarie, P. Gibart, D. Gauthier, J.C. Portal and B. Gil, MOVPE of $Al_xGa_{1-x}As$ alloys above 850 °C 93 (1988) 83
Bauer, R.K., see Engel 93 (1988) 359
Baumeister, H., see Veuhoff 93 (1988) 650
Baxter, C.S., see Monserrat 93 (1988) 466
Beaudoin, M., see Benzaquen 93 (1988) 562
Beckham, C., see Tompa 93 (1988) 220
Bedair, S.M., B.T. McDermott, Y. Ide, N.H. Karam, H. Hashemi, M.A. Tischler, M. Timmons, J.C.L. Tarn and N. El-Masry, Recent progress in atomic layer epitaxy of III–V compounds 93 (1988) 182
Bedair, S.M., see Karam 93 (1988) 254
Bedair, S.M., see Hamaguchi 93 (1988) 449
Bekkaoui, A., see Monteil 93 (1988) 270
Beneking, H., see Woelk 93 (1988) 216
Benzaquen, M., D. Walsh, M. Beaudoin, K. Mazuruk and N. Puetz, Evidence for deep centers in n-InP grown by MOVPE 93 (1988) 562
Beyler, C.A., see DenBaars 93 (1988) 195
Bhat, R., E. Kapon, D.M. Hwang, M.A. Koza and C.P. Yun, Patterned quantum well heterostructures grown by OMCVD on non-planar substrates: applications to extremely narrow SQW lasers 93 (1988) 850
Bhat, R., J.R. Hayes, H. Schumacher, M.A. Koza, D.M. Hwang and M.H. Meynadier, High gain InP/InGaAs heterojunction bipolar transistors grown by OMCVD 93 (1988) 919
Bhat, R., see Colas 93 (1988) 931
Bhat, R., Y. Lo, C. Caneau, D.M. Hwang, C. Zah and M.A. Koza, Low pressure OMCVD growth of device quality GaAs on InP substrates for OEIC applications 93 (1988) 939
Bigan, E., see Razeghi 93 (1988) 776
Bimberg, D., see Engel 93 (1988) 359
Binsma, J.J.M., see Thijs 93 (1988) 863
Blackmore, G.W., see Shenai-Khatkhate 93 (1988) 744
Bottka, N., see Gaskill 93 (1988) 127
Bottka, N., D.K. Gaskill, R.J.M. Griffiths, R.R. Bradley, T.B. Joyce, C. Ito and D. McIntyre, Photoreflectance characterization of OMVPE GaAs on Si 93 (1988) 481
Bouix, J., see Monteil 93 (1988) 159
Bouix, J., see Monteil 93 (1988) 270
Bouley, J.-C., see Mircea 93 (1988) 235
Bradley, R.R., see Bottka 93 (1988) 481
Brauers, A., O. Kayser, R. Kall, H. Heinecke, P. Balk and H. Hofmann, The use of organic As precursors in the low pressure MOCVD of GaAs 93 (1988) 7
Briggs, A.T.R., see Thrush 93 (1988) 870
Brillouet, F., see Razeghi 93 (1988) 776
Brinkman, A.W., see Clifton 93 (1988) 726
Brinkman, A.W., see Mullins 93 (1988) 755
Brown, P.D., see Clifton 93 (1988) 726
Brown, R.A., see Wang 93 (1988) 228

Brum, J.A., see Iikawa 93 (1988) 336
Buchan, N.I., see Larsen 93 (1988) 15
Buehring, K.D., see Hess 93 (1988) 576
Butler, B.R., see Lambkin 93 (1988) 323
Butler, J.E., see Gaskill 93 (1988) 127

Caneau, C., see Bhat 93 (1988) 939
Cao, M., see Dasté 93 (1988) 365
Capuder, K., see Tompa 93 (1988) 220
Cardone, F., see Kuech 93 (1988) 550
Cardone, F., see Wang 93 (1988) 569
Cardone, F., see Kuech 93 (1988) 624
Carenco, A., see Mircea 93 (1988) 235
Carles, R., see Freundlich 93 (1988) 487
Caunt, J.W., see Wang 93 (1988) 228
Caunt, J.W., see Groves 93 (1988) 242
Cheng, W.H., see Hess 93 (1988) 576
Cherng, Y.T., see Jou 93 (1988) 62
Chidley, E.T.R., S.K. Haywood, R.E. Mallard, N.J. Mason, R.J. Nicholas, P.J. Walker and R.J. Warburton, GaSb heterostructures grown by MOVPE 93 (1988) 70
Christiansz, G.I., T.J. Elms, G.N. Pain and R.R. Pierson, Evaluation of some manganese feedstocks for MOCVD 93 (1988) 589
Clifton, P.A., J.T. Mullins, P.D. Brown, G.J. Russell, A.W. Brinkman and J. Woods, Growth and characterisation of ZnTe and ZnTe–CdTe superlattices on GaAs substrates 93 (1988) 726
Clifton, P.A., see Mullins 93 (1988) 755
Colabella, J.M., see Tompa 93 (1988) 220
Colas, E., D.E. Aspnes, R. Bhat, V.G. Keramidas, M.A. Koza and A.A. Studna, Reflectance–difference studies of organometallic chemical vapor deposition growth transients on (100) GaAs 93 (1988) 931
Cole, S., J.S. Evans, M.J. Harlow, A.W. Nelson and S. Wong, Anomalous behaviour of dopants in atmospheric pressure MOVPE of InP 93 (1988) 607
Cole, S., see Nelson 93 (1988) 792
Cole-Hamilton, D.J., see Shenai-Khatkhate 93 (1988) 744
Coleman, J.J., see York 93 (1988) 512
Cooper, D.M., see Nelson 93 (1988) 792
Craford, M.G., see Kuo 93 (1988) 389
Crimes, G., see Irvine 93 (1988) 732
Cureton, C.G., see Thrush 93 (1988) 870

Dabkowski, F.P., see Gavrilovic 93 (1988) 426
Dapkus, P.D., see DenBaars 93 (1988) 195
Dasté, P., see Mircea 93 (1988) 235
Dasté, P., Y. Miyake, M. Cao, Y. Miyamoto, S. Arai, Y. Suematsu and K. Furuya, Fabrication technique for GaInAsP/InP quantum wire structure by LP-MOVPE 93 (1988) 365
David, J.P.R., see Roberts 93 (1988) 877
Davies, J.I., A.C. Marshall, M.D. Scott and R.J.M. Griffiths, Ga–Al–In–As ternary and quaternary alloys lattice matched to InP for electronic, optoelectronic and optical device applications, by LP-MOVPE 93 (1988) 782
Davies, J.I., see Scott 93 (1988) 820
De Croon, M.H.J.M. and L.J. Giling, Chemical boundary layers in MOCVD: the return of the stagnant layer 93 (1988) 932
Defour, M., see Razeghi 93 (1988) 776
Demeester, P., A. Ackaert, I. Moerman, R. Baets and P. Lagasse, Metalorganic vapor phase heteroepitaxial growth of (Al)GaAs on InP for device applications 93 (1988) 940
Den, S., see Nagata 93 (1988) 265
DenBaars, S.P., P.D. Dapkus, C.A. Beyler, A. Hariz and K.M. Dzurko, Atomic layer epitaxy for the growth of heterostructure devices 93 (1988) 195
Devlin, W.J., see Nelson 93 (1988) 792
Dieter, R.J., see Laube 93 (1988) 45
Dieter, R.J., see Streubel 93 (1988) 347
Dunstan, D.J., see Lambkin 93 (1988) 323
Dupuis, R.D. and C.J. Pinzone, The growth of AlGaAs–GaAs lasers on Si substrates by metalorganic chemical vapor deposition 93 (1988) 434
Dutto, P., see Monteil 93 (1988) 270
Dzurko, K.M., see DenBaars 93 (1988) 195

Eguchi, K., Y. Ohba, M. Kushibe, M. Funamizu and T. Nakanisi, Effects of growth parameters on layer properties for InP and related alloys grown by MOCVD 93 (1988) 88
Ekawa, M., Y. Kawakami, T. Taguchi and A. Hiraki, Fabrication and photoluminescence properties of ZnTe and CdZnTe films by low pressure metalorganic chemical-vapour deposition 93 (1988) 667
El-Masry, N., see Bedair 93 (1988) 182
El-Masry, N., see Hamaguchi 93 (1988) 449
Elms, T.J. see Christiansz 93 (1988) 589
Enatsu, M., see Shimizu 93 (1988) 475
Engel, M., R.K. Bauer, D. Bimberg, D. Grützmacher and H. Jürgensen, Interface roughness and charge carrier recombination lifetimes in GaInAs/InP quantum wells grown by LP-MOVPE 93 (1988) 359
Enquist, P.M., Secondary ion mass spectroscopy depth profiles of heterojunction bipolar transistor emitter–base heterojunctions grown by low pressure OMVPE 93 (1988) 637
Evans, J.S., see Cole 93 (1988) 607

Fathimulla, A., see Aina 93 (1988) 911
Favre, R., see Monteil 93 (1988) 159

Favre, R., see Monteil 93 (1988) 270
Fernández, G.E., see York 93 (1988) 512
Fletcher, R.M., see Kuo 93 (1988) 389
Fouquet, J.E., see Kuo 93 (1988) 389
Franks, R.B., see Roberts 93 (1988) 877
Freundlich, A., J.C. Grenet, G. Neu, A. Leycuras, C. Vèrié, P. Gibart, G. Landa and R. Carles, Influence of MOVPE growth parameters on the structural and optical properties of GaAs on Si(100) 93 (1988) 487
Frijlink, P.M., A new versatile, large size MOVPE reactor 93 (1988) 207
Fujieda, S., see Stutzler 93 (1988) 934
Fujii, S., Y. Fujita and T. Iuchi, Photo-assisted MOCVD of CdTe using an excimer laser 93 (1988) 750
Fujii, Y., see Shigeta 93 (1988) 766
Fujita, Sg., see Fujita 93 (1988) 259
Fujita, Sz., M. Imaizumi, S. Araki, Y. Takeda and A. Sasaki, Crystal growth of GaAs and AlGaAs by OMVPE using triethylarsenic as arsenic source 93 (1988) 1
Fujita, Sz., A. Tanabe, T. Sakamoto, M. Isemura and Sg. Fujita, Investigations of photo-association mechanism for growth rate enhancement in photo-assisted OMVPE of ZnSe and ZnS 93 (1988) 259
Fujita, T., see Yokogawa 93 (1988) 708
Fujita, Y., see Fujii 93 (1988) 750
Fukuhara, N., see Hata 93 (1988) 543
Fukui, T., Growth and characterization of InAs/GaAs monolayer structures 93 (1988) 301
Funamizu, M., see Eguchi 93 (1988) 88
Furukawa, K., see Shigeta 93 (1988) 766
Furukawa, M., see Shimizu 93 (1988) 475
Furusawa, K., see Ibaraki 93 (1988) 809
Furuya, K., see Miyamoto 93 (1988) 353
Furuya, K., see Dasté 93 (1988) 365
Fushimi, H., see Wada 93 (1988) 935

Gao, Y., see Mircea 93 (1988) 235
Gaskill, D.K., V. Kolubayev, N. Bottka, R.S. Sillmon and J.E. Butler, IR diode laser probing of OMVPE kinetics 93 (1988) 127
Gaskill, D.K., see Bottka 93 (1988) 481
Gauthier, D., see Basmaji 93 (1988) 83
Gavrilovic, P., F.P. Dabkowski, K. Meehan, J.E. Williams, W. Stutius, K.C. Hsieh, N. Holonyak, Jr., M.A. Shahid and S. Mahajan, Disordering of the ordered structure in MOCVD-grown GaInP and AlGaInP by impurity diffusion and thermal annealing 93 (1988) 426
Gerdon, M., see Laube 93 (1988) 45
Gibart, P., see Basmaji 93 (1988) 83
Gibart, P., see Monteil 93 (1988) 159
Gibart, P., see Freundlich 93 (1988) 487
Giess, J., see Irvine 93 (1988) 732
Gil, B., see Basmaji 93 (1988) 83
Giling, L.J., see Van Suchtelen 93 (1988) 201
Giling, L.J., see De Croon 93 (1988) 932
Glanvill, S.R., see Rossouw 93 (1988) 937
Gomyo, A., see Suzuki 93 (1988) 396
Gotoh, H., see Shimoyama 93 (1988) 803
Gough, J.S., see Irvine 93 (1988) 732
Grenet, J.C., see Freundlich 93 (1988) 487
Griffith, I., see Scott 93 (1988) 820
Griffiths, R.J.M., see Bottka 93 (1988) 481
Griffiths, R.J.M., see Davies 93 (1988) 782
Grotjahn, F., see Speier 93 (1988) 885
Groves, S.H., S.C. Palmateer, J.W. Caunt and D.L. Hovey, New reactor design for growth of InP and related alloys 93 (1988) 242
Grützmacher, D., see Meyer 93 (1988) 285
Grützmacher, D., see Engel 93 (1988) 359
Grützmacher, D., R. Meyer, M. Zachau, P. Helgesen, A. Zrenner, K. Wolter, H. Jürgensen, F. Koch and P. Balk, LP-MOCVD growth and characterization of undoped and modulation doped GaInAsP/InP and GaInAs/InP multi quantum wells 93 (1988) 382

Haigh, J., see Monserrat 93 (1988) 466
Hamaguchi, N., T.P. Humphreys, D.J. Moore, C.A. Parker, S.M. Bedair, J.C.L. Tarn, B.-L. Jiang, N. El-Masry, Z.J. Radzimski and G.A. Rozgonyi, Dislocation interactions in strained-layer structures grown on GaAs and Si substrates 93 (1988) 449
Hamakawa, Y., see Kondow 93 (1988) 412
Hara, K., T. Shinozawa, J. Yoshino and H. Kukimoto, MOVPE growth and characterization of I–III–VI_2 chalcopyrite compounds 93 (1988) 771
Harding, M.J., see Nelson 93 (1988) 792
Hariz, A., see DenBaars 93 (1988) 195
Harlow, M.J., see Cole 93 (1988) 607
Hasegawa, H., see Ohno 93 (1988) 342
Hashemi, H., see Bedair 93 (1988) 182
Hashizume, K., see Kamei 93 (1988) 329
Hata, M., N. Fukuhara, Y. Zempo, M. Isemura, T. Yako and T. Maeda, Residual impurities in epitaxial layers grown by MOVPE 93 (1988) 543
Hayafuji, N., S. Ochi, M. Miyashita, M. Tsugami, T. Murotani and A. Kawagishi, Effectiveness of AlGaAs/GaAs superlattices in reducing dislocation density in GaAs on Si 93 (1988) 494
Hayes, J.R., see Bhat 93 (1988) 919
Haywood, S.H., N.J. Mason and P.J. Walker, Growth of GaSb by MOVPE; optimization of electrical quality with respect to

growth rate, pressure, temperature and III/V ratio 93 (1988) 56
Haywood, S.K., see Chidley 93 (1988) 70
Heime, K., see Kaufmann 93 (1988) 279
Heinecke, H., see Brauers 93 (1988) 7
Helgesen, P., see Grützmacher 93 (1988) 382
Hertling, A., see Lückerath 93 (1988) 151
Hess, K.L., S.W. Zehr, W.H. Cheng, J. Pooladdej, K.D. Buehring and D.L. Wolf, Semi-insulating cobalt doped indium phosphide grown by MOCVD 93 (1988) 576
Heuken, M., see Kaufmann 93 (1988) 279
Heyen, M., see Knauf 93 (1988) 34
Heyen, M., see Kaufmann 93 (1988) 279
Heyen, M., see Schmitz 93 (1988) 312
Hikada, J., see Matsumoto 93 (1988) 170
Hino, I., see Hotta 93 (1988) 618
Hiraki, A., see Ekawa 93 (1988) 667
Hiraki, A., see Kawakami 93 (1988) 714
Hiramatsu, K., see Amano 93 (1988) 79
Hirata, A., see Meguro 93 (1988) 190
Hirose, M., see Yoshikawa 93 (1988) 843
Hofmann, H., see Brauers 93 (1988) 7
Hogenkamp, J.E.M., see Van Suchtelen 93 (1988) 201
Holonyak, Jr., N., see Kuo 93 (1988) 389
Holonyak, Jr., N., see Gavrilovic 93 (1988) 426
Horikawa, H., Y. Kawai, M. Akiyama and M. Sakuta, Hetero-epitaxial growth of InP on Si substrates by LP-MOVPE 93 (1988) 523
Horikoshi, Y., see Sato 93 (1988) 936
Hoshino, H., see Sasaki 93 (1988) 838
Hotta, H., I. Hino and T. Suzuki, Low pressure MOVPE growth of Si-doped $Ga_{0.5}In_{0.5}P$ using Si_2H_6 93 (1988) 618
Hovey, D.L., see Groves 93 (1988) 242
Hsieh, K.C., see Kuo 93 (1988) 389
Hsieh, K.C., see Gavrilovic 93 (1988) 426
Huang, K.C., see Lee 93 (1988) 539
Humphreys, T.P., see Hamaguchi 93 (1988) 449
Hwang, D.M., see Bhat 93 (1988) 850
Hwang, D.M., see Bhat 93 (1988) 919
Hwang, D.M., see Bhat 93 (1988) 939

Ibaraki, A., K. Kawashima, K. Furusawa, T. Ishikawa, T. Yamaguchi and T. Niina, $GaAs/Ga_{0.65}Al_{0.35}As$ DBR surface emitting lasers grown by OMVPE 93 (1988) 809
Ide, Y., see Bedair 93 (1988) 182
Iijima, S., see Suzuki 93 (1988) 396
Iikawa, F., P. Motisuke, J.A. Brum, M.A. Sacilotti, A.P. Roth and R.A. Masut, Thermally induced In/Ga interdiffusion in $In_xGa_{1-x}As/GaAs$ strained single quantum well grown by LPMOVPE 93 (1988) 336
Iimura, Y., see Nagata 93 (1988) 265
Ijichi, T., see Irikawa 93 (1988) 370
Ikeda, K., see Mihashi 93 (1988) 814
Imaizumi, M., see Fujita 93 (1988) 1
Imamura, Y., see Sato 93 (1988) 825
Inoue, N., see Wada 93 (1988) 935
Inoue, Y., see Kondow 93 (1988) 412
Inoue, Y., see Shimoyama 93 (1988) 803
Irikawa, M., I.J. Murgatroyd, T. Ijichi, N. Matsumoto, A. Nakai and S. Kashiwa, Sharp interfaces in GaInAsP/InP single quantum wells grown by MOVPE 93 (1988) 370
Irvine, S.J.C., J.B. Mullin, J. Giess, J.S. Gough, A. Royle and G. Crimes, Recent developments in the pyrolytic and photolytic deposition of (Cd, Hg)Te and related II–VI materials 93 (1988) 732
Isemura, M., see Fujita 93 (1988) 259
Isemura, M., see Hata 93 (1988) 543
Ishida, K., see Stutzler 93 (1988) 934
Ishikawa, T., see Ibaraki 93 (1988) 809
Itaya, Y., see Sato 93 (1988) 825
Ito, C., see Bottka 93 (1988) 481
Itoh, H., M. Watanabe, S. Mukai and H. Yajima, Ultraviolet absorption spectra of metalorganic molecules diluted in hydrogen gas 93 (1988) 165
Iuchi, T., see Fujii 93 (1988) 750
Iwai, S., see Meguro 93 (1988) 190
Iwano, H., see Yamasaki 93 (1988) 673

Jacobs, P.R., see Smith 93 (1988) 930
Jen, H.R., see Jou 93 (1988) 62
Jensen, K.F., see Omstead 93 (1988) 20
Jensen, K.F., see Lee 93 (1988) 134
Jensen, K.F., see Lückerath 93 (1988) 151
Jensen, K.F., see Moffat 93 (1988) 594
Jiang, B.-L., see Karam 93 (1988) 254
Jiang, B.-L., see Hamaguchi 93 (1988) 449
Jimbo, T., see Naitoh 93 (1988) 52
Jimbo, T., see Soga 93 (1988) 499
Jones, A.C., see Smith 93 (1988) 930
Jou, M.J., Y.T. Cherng, H.R. Jen and G.B. Stringfellow, OMVPE growth of the new semiconductor alloys $GaP_{1-x}Sb_x$ and $InP_{1-x}Sb_x$ 93 (1988) 62
Joyce, T.B., see Bottka 93 (1988) 481
Jürgensen, H., see Knauf 93 (1988) 34
Jürgensen, H., see Kaufmann 93 (1988) 279
Jürgensen, H., see Meyer 93 (1988) 285
Jürgensen, H., see Schmitz 93 (1988) 312
Jürgensen, H., see Engel 93 (1988) 359
Jürgensen, H., see Grützmacher 93 (1988) 382

Kadota, Y., see Watanabe 93 (1988) 459
Kajiwara, T., see Yokogawa 93 (1988) 708
Kakibayashi, H., see Kondow 93 (1988) 412
Kall, R., see Brauers 93 (1988) 7
Kamada, M., see Mori 93 (1988) 892
Kamei, H., K. Hashizume, M. Murata, N. Kuwata, K. Ono and K. Yoshida, Growth

of AlInAs and heterostructures on InP by OMVPE 93 (1988) 329
Kan, Y., see Kanda 93 (1988) 662
Kanamori, T., see Abe 93 (1988) 929
Kanda, T., I. Suemune, K. Yamada, Y. Kan and M. Yamanishi, Thermal stability of nearly lattice-matched ZnSSe/GaAs interface grown by MOVPE 93 (1988) 662
Kanehisa, O., see Migita 93 (1988) 686
Kano, G., see Yoshikawa 93 (1988) 532
Kano, G., see Yoshikawa 93 (1988) 843
Kapon, E., see Bhat 93 (1988) 850
Karam, N.H., see Bedair 93 (1988) 182
Karam, N.H., H. Liu, I. Yoshida, B.-L. Jiang and S.M. Bedair, Low temperature selective epitaxy of III–V compounds by laser assisted chemical vapor deposition 93 (1988) 254
Karl, N., see Laube 93 (1988) 45
Kasai, H., see Oniyama 93 (1988) 679
Kasai, H., see Yoshikawa 93 (1988) 697
Kasai, K. and J. Komeno, Numerical analysis of heterointerface in AlGaAs/GaAs HEMT structure grown by MOVPE 93 (1988) 900
Kashiwa, S., see Irikawa 93 (1988) 370
Kato, K., see Kondo 93 (1988) 376
Katoh, M., see Shimoyama 93 (1988) 803
Katsui, A., see Ohki 93 (1988) 692
Katsui, A., see Shibata 93 (1988) 703
Kaufmann, L.M.F., M. Heuken, R. Tilders, K. Heime, H. Jürgensen and M. Heyen, Safety aspects of MOVPE in research and development: an example 93 (1988) 279
Kawagishi, A., see Hayafuji 93 (1988) 494
Kawagishi, A., see Yoshida 93 (1988) 832
Kawai, H., see Nakamura 93 (1988) 292
Kawai, Y., see Horikawa 93 (1988) 523
Kawakami, Y., see Ekawa 93 (1988) 667
Kawakami, Y., T. Taguchi and A. Hiraki, Effects of strain and temperature on excitonic emissions in ZnSe–ZnS strained-layer superlattices grown by low-pressure MOCVD 93 (1988) 714
Kawashima, K., see Ibaraki 93 (1988) 809
Kayser, O., see Brauers 93 (1988) 7
Kazmierski, C., see Mircea 93 (1988) 235
Keppler, F., see Streubel 93 (1988) 347
Keramidas, V.G., see Colas 93 (1988) 931
Kiely, C.J., see York 93 (1988) 512
Kimura, R., see Teraguchi 93 (1988) 720
Kimura, S., see Ban 93 (1988) 924
Kimura, T., see Yoshida 93 (1988) 832
Kisker, D.W., see Lum 93 (1988) 120
Kitamura, M., see Sasaki 93 (1988) 838
Kitamura, M., see Takano 93 (1988) 857
Kito, M., see Amano 93 (1988) 79
Klingert, J.K., see Lum 93 (1988) 120
Knauf, J., D. Schmitz, G. Strauch, H. Jürgensen, M. Heyen and A. Melas, Comparison of ethyldimethylindium (EDMIn) and trimethylindium (TMIn) for GaInAs and InP growth by LP-MOVPE 93 (1988) 34
Knauf, J., see Schmitz 93 (1988) 312
Koba, M., see Seki 93 (1988) 527
Koch, F., see Grützmacher 93 (1988) 382
Kodama, K., see Mochizuki 93 (1988) 557
Koerner, U., see Speier 93 (1988) 885
Kohama, Y., see Soga 93 (1988) 499
Kohler, U., see Laube 93 (1988) 45
Kolubayev, V., see Gaskill 93 (1988) 127
Komatsu, H., see Yamasaki 93 (1988) 673
Komeno, J., see Tanaka 93 (1988) 115
Komeno, J., see Ueda 93 (1988) 418
Komeno, J., see Kasai 93 (1988) 900
Komeno, J., see Ohori 93 (1988) 905
Konagai, M., see Teraguchi 93 (1988) 720
Kondo, M., see Sugawara 93 (1988) 318
Kondo, M., S. Yamazaki, M. Sugawara, H. Okuda, K. Kato and K. Nakajima, High-quality InGaAsP/InP single-quantum wells and superlattice structures grown by low-pressure metalorganic vapor phase epitaxy 93 (1988) 376
Kondow, M., H. Kakibayashi, S. Minagawa, Y. Inoue, T. Nishino and Y. Hamakawa, Crystalline and electronic energy structure of OMVPE-grown AlGaInP/GaAs 93 (1988) 412
Konushi, F., see Seki 93 (1988) 527
Koss, H.J., see Lückerath 93 (1988) 151
Koza, M.A., see Bhat 93 (1988) 850
Koza, M.A., see Bhat 93 (1988) 919
Koza, M.A., see Colas 93 (1988) 931
Koza, M.A., see Bhat 93 (1988) 939
Kozen, A., see Wada 93 (1988) 935
Kubo, M., M. Mannoh, Y. Takahashi and M. Ogura, Raman scattering of $(Al_xGa_{1-x})_{0.5}In_{0.5}P$ quaternary alloys grown by MOVPE 93 (1988) 93
Kudo, J., see Seki 93 (1988) 527
Kuech, T.F., G.J. Scilla and F. Cardone, The influence of hydrocarbons in MOVPE GaAs growth: improved detection of carbon by secondary ion mass spectroscopy 93 (1988) 550
Kuech, T.F., see Wang 93 (1988) 569
Kuech, T.F., see Moffat 93 (1988) 594
Kuech, T.F., P.-J. Wang, M.A. Tischler, R. Potemski, G.J. Scilla and F. Cardone, The control and modelling of doping profiles and transients in MOVPE growth 93 (1988) 624
Kuech, T.F., see Tischler 93 (1988) 631
Kuindersma, P.I., see Thijs 93 (1988) 863
Kukimoto, H., see Hara 93 (1988) 771
Kuo, C.P., R.M. Fletcher, T.D. Osentowski, M.G. Craford, D.W. Nam, N. Holonyak,

Jr., K.C. Hsieh and J.E. Fouquet, Stimulated emission in $In_{0.5}(Al_xGa_{1-x})_{0.5}P$ quantum well heterostructures 93 (1988) 389
Kurabayashi, T., see Nishizawa 93 (1988) 98
Kushibe, M., see Eguchi 93 (1988) 88
Kuwata, N., see Kamei 93 (1988) 329
Kwietniak, M.S., see Rossouw 93 (1988) 937

Lagasse, P., see Demeester 93 (1988) 940
Lagemaat, J.M., see Thijs 93 (1988) 863
Lambkin, J.D., D.J. Dunstan, E.P. O'Reilly and B.R. Butler, The pressure dependence of the band offsets in a GaInAs/InP multiple quantum well structure 93 (1988) 323
Landa, G., see Freundlich 93 (1988) 487
Landgren, G., M. Rask, S.G. Andersson and A. Lundberg, Abrupt Mg doping profiles in GaAs grown by metalorganic vapor phase epitaxy 93 (1988) 646
Larsen, C.A., N.I. Buchan, S.H. Li and G.B. Stringfellow, GaAs growth using tertiarybutylarsine and trimethylgallium 93 (1988) 15
Laube, G., U. Kohler, J. Weidlein, F. Scholz, K. Streubel, R.J. Dieter, N. Karl and M. Gerdon, Me_3In preparation and zone refining of adducts for high quality InP and GaInAs MOVPE 93 (1988) 45
Laube, G., see Streubel 93 (1988) 347
Lee, M.K., K.C. Huang, D.S. Wuu, H.H. Tung and K.Y. Yu, Growth and characterization of InP/GaAs epilayers on Si substrates by low-pressure metalorganic vapor phase epitaxy 93 (1988) 539
Lee, P.W., see Omstead 93 (1988) 20
Lee, P.W., T.R. Omstead, D.R. McKenna and K.F. Jensen, In situ mass spectroscopy studies of the decomposition of organometallic arsenic compounds in the presence of $Ga(CH_3)_3$ and $Ga(C_2H_5)_3$ 93 (1988) 134
Leycuras, A., see Basmaji 93 (1988) 83
Leycuras, A., see Freundlich 93 (1988) 487
Leymarie, J., see Basmaji 93 (1988) 83
Leys, M.R., H. Titze, L. Samuelson and J. Petruzzello, Growth and characterization of strained layers of $GaAs_xP_{1-x}$ 93 (1988) 504
Li, S.H., see Larsen 93 (1988) 15
Liu, H., see Karam 93 (1988) 254
Lo, Y., see Bhat 93 (1988) 939
Loughran, T., see Aina 93 (1988) 911
Lückerath, R., P. Tommack, A. Hertling, H.J. Koss, P. Balk, K.F. Jensen and W. Richter, CARS in situ diagnostics in MOVPE: the thermal decomposition of AsH_3 and PH_3 93 (1988) 151
Lum, R.M., J.K. Klingert, D.W. Kisker, S.M. Abys and F.A. Stevie, ^{13}C isotopic labeling studies of growth mechanisms in the metalorganic vapor phase epitaxy of GaAs 93 (1988) 120
Lundberg, A., see Landgren 93 (1988) 646

Maeda, T., see Hata 93 (1988) 543
Mahajan, S., see Gavrilovic 93 (1988) 426
Mallard, R.E., see Chidley 93 (1988) 70
Mannoh, M., see Kubo 93 (1988) 93
Marcillat, J., see Monteil 93 (1988) 270
Marshall, A.C., see Davies 93 (1988) 782
Marshall, A.C., see Scott 93 (1988) 820
Martin, E.A., see Aina 93 (1988) 911
Maruyama, K., M. Yoshikawa, and H. Takigawa, Domain structures of CdTe layers grown by MOCVD on offset-angle sapphire substrates 93 (1988) 761
Mason, N.J., see Haywood 93 (1988) 56
Mason, N.J., see Chidley 93 (1988) 70
Masut, R.A., see Iikawa 93 (1988) 336
Matsubara, T., see Ohno 93 (1988) 342
Matsumoto, K., J. Hikada and R. Tsunoda, Study of nucleation and growth of clusters on nominal and vicinal (100)GaAs by metalorganic vapor phase epitaxy 93 (1988) 170
Matsumoto, N., see Irikawa 93 (1988) 370
Matsunami, H., see Ozasa 93 (1988) 177
Mattingly, M., see Aina 93 (1988) 911
Maurel, P., see Razeghi 93 (1988) 776
Mazuruk, K., see Benzaquen 93 (1988) 562
McDermott, B.T., see Bedair 93 (1988) 182
McIntyre, D., see Bottka 93 (1988) 481
McKee, M.A., see Tompa 93 (1988) 220
McKenna, D.R., see Lee 93 (1988) 134
Meehan, K., see Gavrilovic 93 (1988) 426
Meguro, T., T. Suzuki, K. Ozaki, Y. Okano, A. Hirata, Y. Yamamoto, S. Iwai, Y. Aoyagi and S. Namba, Surface processes in laser-atomic layer epitaxy (laser-ALE) of GaAs 93 (1988) 190
Meguro, T., see Sakaguchi 93 (1988) 602
Melas, A., see Knauf 93 (1988) 34
Meyer, R., D. Grützmacher, H. Jürgensen and P. Balk, Controlled uniform growth of GaInAsP/InP structures for laser application on 2 inch wafers by LP-MOVPE at 20 mbar 93 (1988) 285
Meyer, R., see Grützmacher 93 (1988) 382
Meynadier, M.H., see Bhat 93 (1988) 919
Migita, M., O. Kanehisa, M. Shiiki and H. Yamamoto, The preparation of ZnS:Mn electroluminescent layers by MOCVD using new manganese sources 93 (1988) 686
Mihashi, Y. Nagai, Y. Ohta, T. Tanaka, K. Ikeda and W. Susaki, Long-lived MOCVD-grown 780 nm SBA laser with reduced influence of regrowth interface 93 (1988) 814

Minagawa, S., see Kondow 93 (1988) 412
Mircea, A., A. Ougazzaden, P. Dasté, Y. Gao, C. Kazmierski, J.-C. Bouley and A. Carenco, Extremely uniform, reproducible growth of device quality InGaAsP: InP heterostructures in the T-shaped reactor at atmospheric pressure 93 (1988) 235
Mistry, P., see Roberts 93 (1988) 877
Mito, I., see Sasaki 93 (1988) 838
Mito, I., see Takano 93 (1988) 857
Miyake, Y., see Dasté 93 (1988) 365
Miyamoto, Y., K. Uesaka, M. Takadou, K. Furuya and Y. Suematsu, OMVPE conditions for GaInAs/InP heterointerfaces and superlattices 93 (1988) 353
Miyamoto, Y., see Dasté 93 (1988) 365
Miyashita, M., see Hayafuji 93 (1988) 494
Mizuguchi, K., see Yoshida 93 (1988) 832
Mizuki, T., see Shimizu 93 (1988) 475
Mizuta, M., see Stutzler 93 (1988) 934
Mochizuki, K., M. Ozeki, K. Kodama and N. Ohtsuka, Carbon incorporation in GaAs layer grown by atomic layer epitaxy 93 (1988) 557
Moerman, I., see Demeester 93 (1988) 940
Moffat, H.K., T.F. Kuech, K.F. Jensen and P.-J. Wang, Gas phase and surface reactions in Si doping of GaAs by silanes 93 (1988) 594
Monserrat, K.J., J.N. Tothill, J. Haigh, R.H. Moss, C.S. Baxter and W.M. Stobbs, The effects of strain on the growth of lattice mismatched superlattices 93 (1988) 466
Monteil, Y., R. Favre, P. Raffin, J. Bouix, M. Vaille and P. Gibart, Raman investigations on AsH_3 decomposition in MOVPE 93 (1988) 159
Monteil, Y., R. Favre, A. Bekkaoui, P. Raffin, J. Bouix, J. Marcillat and P. Dutto, Raman spectroscopy and flow visualization studies of MOVPE reactors 93 (1988) 270
Mooney, P.M., see Wang 93 (1988) 569
Moore, D.J., see Hamaguchi 93 (1988) 449
Mori, Y. and M. Kamada, MOCVD growth of selectively doped AlInAs/GaInAs heterostructures 93 (1988) 892
Morisaki, M., see Ban 93 (1988) 924
Moritani, A., see Nagata 93 (1988) 265
Moroni, D., see Thijs 93 (1988) 863
Moss, R.H., see Monserrat 93 (1988) 466
Moss, R.H., see Nelson 93 (1988) 792
Motisuke, P., see Iikawa 93 (1988) 336
Mukai, S., see Itoh 93 (1988) 165
Mullin, J.B., see Irvine 93 (1988) 732
Mullin, J.B., see Shenai-Khatkhate 93 (1988) 744
Mullins, J.T., see Clifton 93 (1988) 726
Mullins, J.T., P.A. Clifton, G.J. Russell, A.W. Brinkman and J. Woods, Electrical properties and surface effects in MOVPE grown (Hg,Cd)Te 93 (1988) 755
Murata, M., see Kamei 93 (1988) 329
Murgatroyd, I.J., see Irikawa 93 (1988) 370
Murotani, T., see Hayafuji 93 (1988) 494
Murotani, T., see Yoshida 93 (1988) 832
Muto, S., see Yoshikawa 93 (1988) 697
Nagai, Y., see Mihashi 93 (1988) 814
Nagata, K., Y. Iimura, Y. Aoyagi, S. Namba, S. Den and A. Moritani, Effects of hydrogen on growth mechanism of GaAs in chemical beam epitaxy 93 (1988) 265
Nagle, J., see Razeghi 93 (1988) 776
Naitoh, M., T. Soga, T. Jimbo and M. Umeno, Less hazardous MOCVD growth of InP using solid red-phosphorus and H_2 plasma 93 (1988) 52
Nakagome, H., see Uwai 93 (1988) 583
Nakai, A., see Irikawa 93 (1988) 370
Nakai, K., T. Sanada and S. Yamakoshi, Planar selective growth of InP by MOVPE 93 (1988) 248
Nakajima, K., see Sugawara 93 (1988) 318
Nakajima, K., see Kondo 93 (1988) 376
Nakajima, S., see Shigeta 93 (1988) 766
Nakamori, T., see Abe 93 (1988) 929
Nakamura, A., see Yoshikawa 93 (1988) 532
Nakamura, F. and H. Kawai, Uniform (Al)GaAs crystal growth and microwave HIFETs grown by barrel-reactor MOCVD 93 (1988) 292
Nakanisi, T., see Eguchi 93 (1988) 88
Nakanisi, T., see Nozaki 93 (1988) 406
Nakanisi, T., see Ohba 93 (1988) 613
Nakao, M., see Sato 93 (1988) 825
Nam, D.W., see Kuo 93 (1988) 389
Namba, S., see Meguro 93 (1988) 190
Namba, S., see Nagata 93 (1988) 265
Nelson, A.W., see Cole 93 (1988) 607
Nelson, A.W., P.C. Spurdens, S. Cole, R.H. Walling, R.H. Moss, S. Wong, M.J. Harding, D.M. Cooper, W.J. Devlin and M.J. Robertson, The role of MOVPE in the manufacture of high performance InP based optoelectronic devices 93 (1988) 792
Neu, G., see Freundlich 93 (1988) 487
Nicholas, R.J., see Chidley 93 (1988) 70
Niina, T., see Ibaraki 93 (1988) 809
Nijman, W., see Thijs 93 (1988) 863
Nishikawa, Y., see Ohba 93 (1988) 613
Nishino, S., see Ozasa 93 (1988) 177
Nishino, T., see Kondow 93 (1988) 412
Nishizawa, J. and T. Kurabayashi, Growth kinetic study in GaAs molecular layer epitaxy in TMG/AsH_3 system 93 (1988) 98
Noguchi, M., see Shimoyama 93 (1988) 803
Norris, P.E., see Tompa 93 (1988) 220
Nowitzki, A., see Speier 93 (1988) 885

Nozaki, C., Y. Ohba, H. Sugawara, S. Yasuami and T. Nakanisi, Growth temperature dependent atomic arrangements and their role on band-gap of InGaAlP alloys grown by MOCVD 93 (1988) 406
Nozaki, C., see Ohba 93 (1988) 613

Ochi, S., see Hayafuji 93 (1988) 494
Ogura, A., see Shigeta 93 (1988) 766
Ogura, M., see Kubo 93 (1988) 93
Ogura, M., see Yokogawa 93 (1988) 708
Ogura, M., see Ban 93 (1988) 924
Ohba, Y., see Eguchi 93 (1988) 88
Ohba, Y., see Nozaki 93 (1988) 406
Ohba, Y., Y. Nishikawa, C. Nozaki, H. Sugawara and T. Nakanisi, A study of p-type doping for AlGaInP grown by low-pressure MOCVD 93 (1988) 613
Ohki, A., N. Shibata, K. Ando and A. Katsui, Nitrogen-doped p-type ZnSe films grown by MOVPE 93 (1988) 692
Ohki, A., see Shibata 93 (1988) 703
Ohkura, Y., see Yoshida 93 (1988) 832
Ohmachi, Y., see Watanabe 93 (1988) 459
Ohno, H., S. Ohtsuka, A. Ohuchi, T. Matsubara and H. Hasegawa, Growth of GaAs, InAs, and GaAs/InAs superlattice structures at low substrate temperature by MOVPE 93 (1988) 342
Ohori, T., M. Takechi, M. Suzuki, M. Takikawa and J. Komeno, Uniform and abrupt InGaP/GaAs selectively doped heterostructures grown by MOVPE for HEMT ICs 93 (1988) 905
Ohshima, H., see Yamasaki 93 (1988) 673
Ohta, Y., see Mihashi 93 (1988) 814
Ohtsuka, N., see Mochizuki 93 (1988) 557
Ohtsuka, S., see Ohno 93 (1988) 342
Ohuchi, A., see Ohno 93 (1988) 342
Oishi, M., see Sato 93 (1988) 825
Okamoto, H., see Watanabe 93 (1988) 459
Okano, Y., see Meguro 93 (1988) 190
Okuda, H., see Kondo 93 (1988) 376
Omnes, F., see Razeghi 93 (1988) 776
Omstead, T.R., P.M. Van Sickle, P.W. Lee and K.F. Jensen, Gas phase and surface reactions in the MOCVD of GaAs from triethylgallium, trimethylgallium, and tertiarybutylarsine 93 (1988) 20
Omstead, T.R., see Lee 93 (1988) 134
Oniyama, H., S. Yamaga, A. Yoshikawa and H. Kasai, Metalorganic molecular beam epitaxy of ZnSe films using dimethylzinc and hydrogen selenide 93 (1988) 679
Ono, K., see Kamei 93 (1988) 329
Onozawa, S., T. Ueda and M. Akiyama, Initial stage of MOCVD growth of GaAs on Si 93 (1988) 443
Onozawa, S., see Ueda 93 (1988) 517
O'Reilly, E.P., see Lambkin 93 (1988) 323
Osentowski, T.D., see Kuo 93 (1988) 389
Ougazzaden, A., see Mircea 93 (1988) 235
Ozaki, K., see Meguro 93 (1988) 190
Ozasa, K., M. Yuri, S. Nishino and H. Matsunami, Immiscible growth of $In_{1-x}Ga_xP$ in low-vacuum MOVPE 93 (1988) 177
Ozeki, M., see Mochizuki 93 (1988) 557

Pain, G.N., see Christiansz 93 (1988) 589
Pain, G.N., see Rossouw 93 (1988) 937
Palmateer, S.C., see Groves 93 (1988) 242
Parker, C.A., see Hamaguchi 93 (1988) 449
Parry, G., see Roberts 93 (1988) 877
Pate, M.A., see Roberts 93 (1988) 877
Patnaik, S., see Wang 93 (1988) 228
Petruzzello, J., see Leys 93 (1988) 504
Pierson, R.R., see Christiansz 93 (1988) 589
Pinzone, C.J., see Dupuis 93 (1988) 434
Pollard, R., see Tirtowidjojo 93 (1988) 108
Pooladdej, J., see Hess 93 (1988) 576
Portal, J.C., see Basmaji 93 (1988) 83
Portal, J.C., see Razeghi 93 (1988) 776
Potemski, R., see Kuech 93 (1988) 624
Puetz, N., see Benzaquen 93 (1988) 562

Radzimski, Z.J., see Hamaguchi 93 (1988) 449
Raffin, P., see Monteil 93 (1988) 159
Raffin, P., see Monteil 93 (1988) 270
Rask, M., see Landgren 93 (1988) 646
Razeghi, M., M. Defour, F. Omnes, P. Maurel, E. Bigan, O. Acher, J. Nagle, F. Billouet and J.C. Portal, MOCVD challenge for III–V semiconductor materials for photonic and electronic devices on alternative substrates 93 (1988) 776
Reier, F.W., P. Wolfram and H. Schumann, A novel organo-lithium based production method for trimethylindium 93 (1988) 41
Reinert, P.D., see Tompa 93 (1988) 220
Richter, W., see Lückerath 93 (1988) 151
Riffat, J.R., see Scott 93 (1988) 820
Roberts, J.S., M.A. Pate, P. Mistry, J.P.R. David, R.B. Franks, M. Whitehead and G. Parry, MOVPE grown MQW pin diodes for electro-optic modulators and photodiodes with enhanced electron ionisation coefficient 93 (1988) 877
Robertson, M.J., see Nelson 93 (1988) 792
Rossouw, C.J., S.R. Glanvill, M.S. Kwietniak, G.N. Pain, T. Warminski and I.J. Wilson, Characterization of a GaAs/HgCdTe interface formed by MOCVD 93 (1988) 937
Roth, A.P., see Iikawa 93 (1988) 336
Royle, A., see Irvine 93 (1988) 732
Rozgonyi, G.A., see Hamaguchi 93 (1988) 449

Rushworth, S.A., see Smith 93 (1988) 930
Russell, G.J., see Clifton 93 (1988) 726
Russell, G.J., see Mullins 93 (1988) 755

Sacilotti, M.A., see Iikawa 93 (1988) 336
Sakaguchi, H., R. Suzuki and T. Meguro, Systematic study on Si and Se doping of MOVPE GaAs 93 (1988) 602
Sakamoto, T., see Fujita 93 (1988) 259
Sakurai, T., see Shimizu 93 (1988) 475
Sakuta, M., see Ueda 93 (1988) 517
Sakuta, M., see Horikawa 93 (1988) 523
Samuelson, L., see Leys 93 (1988) 504
Sanada, T., see Nakai 93 (1988) 248
Sasaki, A., see Fujita 93 (1988) 1
Sasaki, T., H. Yamada, S. Takano, M. Kitamura, I. Mito, T. Suzuki and H. Hoshino, Doping optimization in InGaAsP DH lasers and improved characteristics in BH lasers grown by MOVPE 93 (1988) 838
Sasaki, T, see Takano 93 (1988) 857
Sato, K., M. Oishi, Y. Itaya, M. Nakao and Y. Imamura, Defect generation due to surface corrugation in InGaAsP/InP DFB laser structures grown by MOVPE on grating-formed InP substrates 93 (1988) 825
Sato, M. and Y. Horikoshi, Photoluminescence from highly-flat-interface InAs/GaAs heterostructures grown by flow-rate modulation epitaxy 93 (1988) 936
Satoh, T., see Shimoyama 93 (1988) 803
Sawaki, N., see Amano 93 (1988) 79
Schmitz, D., see Knauf 93 (1988) 34
Schmitz, D., G. Strauch, J. Knauf, H. Jürgensen, M. Heyen and K. Wolter, Large area growth of extremely uniform AlGaAs/GaAs quantum well structures for laser applications by effective LP-MOVPE 93 (1988) 312
Scholz, F., see Laube 93 (1988) 45
Scholz, F., see Streubel 93 (1988) 347
Schumacher, H., see Bhat 93 (1988) 919
Schumann, H., see Reier 93 (1988) 41
Scilla, G.J., see Kuech 93 (1988) 550
Scilla, G.J., see Wang 93 (1988) 569
Scilla, G.J., see Kuech 93 (1988) 624
Scott, M.D., see Davies 93 (1988) 782
Scott, M.D., J.R. Riffat, I. Griffith, J.I. Davies and A.C. Marshall, CODE: a novel MOVPE technique for the single stage growth of buried ridge double heterostructure lasers and waveguides 93 (1988) 820
Seki, A., F. Konushi, J. Kudo and M. Koba, Epitaxial growth of InP on Si by OMVPE – defect reduction in epitaxial InP using $InAs_xP_{1-x}$/InP superlattices 93 (1988) 527
Seki, M., see Watanabe 93 (1988) 459
Shahid, M.A., see Gavrilovic 93 (1988) 426
Shenai-Khatkhate, D.V., P. Webb, D.J. Cole-Hamilton, G.W. Blackmore and J.B. Mullin, Ultra-pure organotellurium precursors for the low temperature MOVPE growth of II/VI compound semiconductors 93 (1988) 744
Shibata, J., see Ban 93 (1988) 924
Shibata, N., see Ohki 93 (1988) 692
Shibata, N., A. Ohki and A. Katsui, Iodine-doped low-resistivity n-type ZnSe films grown by MOVPE 93 (1988) 703
Shibata, S., see Abe 93 (1988) 929
Shigeta, M., Y. Fujii, A. Ogura, K. Furukawa, A. Suzuki and S. Nakajima, Inclined-epitaxy of β-SiC on Si(n11) substrates ($n = 3, 4, 5, 6$) by chemical vapor deposition 93 (1988) 766
Shiiki, M., see Migita 93 (1988) 686
Shimizu, M., M. Enatsu, M. Furukawa, T. Mizuki and T. Sakurai, Dislocation-density studies in MOCVD GaAs on Si substrates 93 (1988) 475
Shimoyama, K., M. Katoh, M. Noguchi, Y. Inoue, H. Gotoh, Y. Suzuki and T. Satoh, Transverse junction buried heterostructure (TJ-BH) laser diode grown by MOVPE 93 (1988) 803
Shinozawa, T., see Hara 93 (1988) 771
Sillmon, R.S., see Gaskill 93 (1988) 127
Smith, L.M., J. Thompson, A.C. Jones, P.R. Jacobs and S.A. Rushworth, MOCVD growth of CdTe and CdHgTe using a new cadmium source 93 (1988) 930
Soga, T., see Naitoh 93 (1988) 52
Soga, T., Y. Kohama, K. Uchida, M. Tajima, T. Jimbo and M. Umeno, MOCVD growth and characterization of GaAs and GaP grown on Si substrates 93 (1988) 499
Speckman, D.M. and J.P. Wendt, Triethylarsenic and arsine as co-reagents: the novel manipulation of in-situ GaAs OMCVD growth chemistry to improve growth efficiency and safety 93 (1988) 29
Speier, P., U. Koerner, A. Nowitzki, F. Grotjahn, F.J. Tegude and K. Wünstel, MOVPE studies for a monolithically integrated DH laser/HBT laser driver 93 (1988) 885
Spurdens, P.C., see Nelson 93 (1988) 792
Stall, R.A., see Tompa 93 (1988) 220
Stecker, L., see Aina 93 (1988) 911
Stevie, F.A., see Lum 93 (1988) 120
Stobbs, W.M., see Monserrat 93 (1988) 466
Strauch, G., see Knauf 93 (1988) 34
Strauch, G., see Schmitz 93 (1988) 312
Streubel, K., see Laube 93 (1988) 45
Streubel, K., F. Scholz, G. Laube, R.J. Dieter, E. Zielinski and F. Keppler, Influence

of different growth techniques on the quality of GaInAs–InP quantum well structures grown by adduct-MOVPE 93 (1988) 347
Stringfellow, G.B., see Larsen 93 (1988) 15
Stringfellow, G.B., see Jou 93 (1988) 62
Studna, A.A., see Colas 93 (1988) 931
Stuke, M., see Zhang 93 (1988) 143
Stutius, W., see Gavrilovic 93 (1988) 426
Stutzler, F.J., S. Fujieda, M. Mizuta and K. Ishida, Direct observation of extended atomically flat islands at the heterointerfaces of OMVPE AlGaAs–GaAs single quantum wells 93 (1988) 934
Suematsu, Y., see Miyamoto 93 (1988) 353
Suematsu, Y., see Dasté 93 (1988) 365
Suemune, I., see Kanda 93 (1988) 662
Sugawara, H., see Nozaki 93 (1988) 406
Sugawara, H., see Ohba 93 (1988) 613
Sugawara, M., M. Kondo, S. Yamazaki and K. Nakajima, Exact determination of superlattice structure by small-angle X-ray diffraction 93 (1988) 318
Sugawara, M., see Kondo 93 (1988) 376
Sugino, T., see Yoshikawa 93 (1988) 532
Sugino, T., see Yoshikawa 93 (1988) 843
Susaki, W., see Mihashi 93 (1988) 814
Suzuki, A., see Shigeta 93 (1988) 766
Suzuki, M., see Ohori 93 (1988) 905
Suzuki, R., see Sakaguchi 93 (1988) 602
Suzuki, T., see Meguro 93 (1988) 190
Suzuki, T., A. Gomyo and S. Iijima, Strong ordering in GaInP alloy semiconductors; formation mechanism for the ordered phase 93 (1988) 396
Suzuki, T., see Hotta 93 (1988) 618
Suzuki, T., see Sasaki 93 (1988) 838
Suzuki, T., see Takano 93 (1988) 857
Suzuki, Y., see Shimoyama 93 (1988) 803

Taguchi, T., see Ekawa 93 (1988) 667
Taguchi, T., see Kawakami 93 (1988) 714
Tajima, M., see Soga 93 (1988) 499
Takadou, M., see Miyamoto 93 (1988) 353
Takahashi, K., see Teraguchi 93 (1988) 720
Takahashi, Y., see Kubo 93 (1988) 93
Takahei, K., see Uwai 93 (1988) 583
Takano, S., see Sasaki 93 (1988) 838
Takano, S., T. Sasaki, H. Yamada, M. Kitamura, I. Mito and T. Suzuki, Improvements in resonance frequency and T_0 value by 1.5 μm InGaAs MQW lasers grown by MOVPE 93 (1988) 857
Takechi, M., see Ueda 93 (1988) 418
Takechi, M., see Ohori 93 (1988) 905
Takeda, Y., see Fujita 93 (1988) 1
Takemura, Y., see Teraguchi 93 (1988) 720
Takigawa, H., see Maruyama 93 (1988) 761
Takikawa, M., see Ueda 93 (1988) 418
Takikawa, M., see Ohori 93 (1988) 905
Tanabe, A., see Fujita 93 (1988) 259
Tanaka, H. and J. Komeno, Kinetic simulation of gas phase reactions in MOVPE growth 93 (1988) 115
Tanaka, T., see Mihashi 93 (1988) 814
Tarn, J.C.L., see Bedair 93 (1988) 182
Tarn, J.C.L., see Hamaguchi 93 (1988) 449
Tegude, F.J., see Speier 93 (1988) 885
Teraguchi, N., Y. Takemura, R. Kimura, M. Konagai and K. Takahashi, Wide bandgap II–VI compound semiconductor superlattices grown by metalorganic molecular beam epitaxy 93 (1988) 720
Teramoto, I., see Yoshikawa 93 (1988) 532
Teramoto, I., see Yoshikawa 93 (1988) 843
Thijs, P.J.A., T. van Dongen, P.I. Kuindersma, J.J.M. Binsma, L.F. Tiemeyer, J.M. Lagemaat, D. Moroni and W. Nijman, High quality InGaAsP–InP for multiple quantum well laser diodes grown by low-pressure OMVPE 93 (1988) 863
Thompson, J., see Smith 93 (1988) 930
Thrush, E.J., C.G. Cureton and A.T.R. Briggs, MOCVD grown InP/InGaAs structures for optical receivers 93 (1988) 870
Tiemeyer, L.F., see Thijs 93 (1988) 863
Tilders, R., see Kaufmann 93 (1988) 279
Timmons, M., see Bedair 93 (1988) 182
Tirtowidjojo, M. and R. Pollard, Elementary processes and rate-limiting factors in MOVPE of GaAs 93 (1988) 108
Tischler, M.A., see Bedair 93 (1988) 182
Tischler, M.A., see Wang 93 (1988) 569
Tischler, M.A., see Kuech 93 (1988) 624
Tischler, M.A., H. Baratte, T.F. Kuech and P.-J. Wang, The influence of growth conditions on the electrical properties of $GaAs/Al_{0.30}Ga_{0.70}As$ p^+/n heterojunctions 93 (1988) 631
Titze, H., see Leys 93 (1988) 504
Tommack, P., see Lückerath 93 (1988) 151
Tompa, G.S., M.A. McKee, C. Beckham, P.A. Zawadzki, J.M. Colabella, P.D. Reinert, K. Capuder, R.A. Stall and P.E. Norris, A parametric investigation of GaAs epitaxial growth uniformity in a high speed, rotating-disk MOCVD reactor 93 (1988) 220
Tothill, J.N., see Monserrat 93 (1988) 466
Treichler, R., see Veuhoff 93 (1988) 650
Tsugami, M., see Hayafuji 93 (1988) 494
Tsunekawa, Y., see Yamasaki 93 (1988) 673
Tsunoda, R., see Matsumoto 93 (1988) 170
Tung, H.H., see Lee 93 (1988) 539

Uchida, K., see Soga 93 (1988) 499

Ueda, O., M. Takikawa, M. Takechi, J. Komeno and I. Umebu, Transmission electron microscopic observation of InGaP crystals grown on (001)GaAs substrates by metalorganic chemical vapor deposition 93 (1988) 418
Ueda, T., see Onozawa 93 (1988) 443
Ueda, T., S. Onozawa, M. Akiyama and M. Sakuta, Heteroepitaxy of InGaAs on GaAs substrate with InAlAs intermediate layer 93 (1988) 517
Uesaka, K., see Miyamoto 93 (1988) 353
Umebu, I., see Ueda 93 (1988) 418
Umeno, M., see Naitoh 93 (1988) 52
Umeno, M., see Soga 93 (1988) 499
Uwai, K., H. Nakagome and K. Takahei, Growth of erbium-doped GaAs and InP by metalorganic chemical vapor deposition using $Er(CH_3C_5H_4)_3$ and $Er(C_5H_5)_3$ 93 (1988) 583

Vaille, M., see Monteil 93 (1988) 159
Van Dongen, T., see Thijs 93 (1988) 863
Van Sark, W.G.J.H.M., see Van Suchtelen 93 (1988) 201
Van Sickle, P.M., see Omstead 93 (1988) 20
Van Suchtelen, J., J.E.M. Hogenkamp, W.G.J.H.M. van Sark and L.J. Giling, The pulse reactor – a high-efficiency, high-precision low-pressure MOCVD machine 93 (1988) 201
Vèrié, C., see Freundlich 93 (1988) 487
Veuhoff, E., H. Baumeister and R. Treichler, Silicon migration during MOVPE of AlGaAs/GaAs laser structures 93 (1988) 650

Wada, K., A. Kozen, H. Fushimi and N. Inoue, First observation of stepped interfaces of GaAs–AlGaAs on tilted substrates by cathodoluminescence 93 (1988) 935
Walker, P.J., see Haywood 93 (1988) 56
Walker, P.J., see Chidley 93 (1988) 70
Walling, R.H., see Nelson 93 (1988) 792
Walsh, D., see Benzaquen 93 (1988) 562
Wang, C.A., S. Patnaik, J.W. Caunt and R.A. Brown, Growth characteristics of a vertical rotating-disk OMVPE reactor 93 (1988) 228
Wang, P.-J., T.F. Kuech, M.A. Tischler, P.M. Mooney, G.J. Scilla and F. Cardone, Deep levels and minority carrier lifetime in MOVPE p-type GaAs 93 (1988) 569
Wang, P.-J., see Moffat 93 (1988) 594
Wang, P.-J., see Kuech 93 (1988) 624
Wang, P.-J., see Tischler 93 (1988) 631
Warburton, R.J., see Chidley 93 (1988) 70
Warminski, T., see Rossouw 93 (1988) 937
Watanabe, M., see Itoh 93 (1988) 165
Watanabe, Y., Y. Kadota, H. Okamoto, M. Seki and Y. Ohmachi, Structural properties of GaAs-on-Si with InGaAs/GaAs strained-layer superlattice 93 (1988) 459
Webb, P., see Shenai-Khatkhate 93 (1988) 744
Weidlein, J., see Laube 93 (1988) 45
Wendt, J.P., see Speckman 93 (1988) 29
Westergren, U., see Andersson 93 (1988) 307
Whitehead, M., see Roberts 93 (1988) 877
Williams, J.E., see Gavrilovic 93 (1988) 426
Wilson, I.J., see Rossouw 93 (1988) 937
Woelk, E. and H. Beneking, A novel MOVPE reactor with a rotating substrate 93 (1988) 216
Wolf, D.L., see Hess 93 (1988) 576
Wolfram, P., see Reier 93 (1988) 41
Wolter, K., see Schmitz 93 (1988) 312
Wolter, K., see Grützmacher 93 (1988) 382
Wong, S., see Cole 93 (1988) 607
Wong, S., see Nelson 93 (1988) 792
Woods, J., see Clifton 93 (1988) 726
Woods, J., see Mullins 93 (1988) 755
Wünstel, K., see Speier 93 (1988) 885
Wuu, D.S., see Lee 93 (1988) 539

Yajima, H., see Itoh 93 (1988) 165
Yako, T., see Hata 93 (1988) 543
Yamada, H., see Sasaki 93 (1988) 838
Yamada, H., see Takano 93 (1988) 857
Yamada, K., see Kanda 93 (1988) 662
Yamaga, S., see Oniyama 93 (1988) 679
Yamaga, S., see Yoshikawa 93 (1988) 697
Yamaguchi, T., see Ibaraki 93 (1988) 809
Yamakoshi, S., see Nakai 93 (1988) 248
Yamamoto, A., see Yoshikawa 93 (1988) 843
Yamamoto, H., see Migita 93 (1988) 686
Yamamoto, Y., see Meguro 93 (1988) 190
Yamanishi, M., see Kanda 93 (1988) 662
Yamasaki, Y., H. Komatsu, Y. Tsunekawa, T. Asaka, H. Iwano and H. Oshima, Selectively embedded epitaxial growth of ZnSe by low-pressure MOCVD using dimethylzinc and dimethylselenium 93 (1988) 673
Yamashita, K., see Yodo 93 (1988) 656
Yamazaki, S., see Sugawara 93 (1988) 318
Yamazaki, S., see Kondo 93 (1988) 376
Yasuami, S., see Nozaki 93 (1988) 406
Yodo, T. and K. Yamashita, Thermal stability of ZnSe epilayer grown by MOVPE 93 (1988) 656
Yokogawa, T., T. Fujita, M. Ogura and T. Kajiwara, Low-loss MOVPE-grown Zn Se–ZnS superlattice optical waveguide 93 (1988) 708
York, P.K., C.J. Kiely, G.E. Fernández, J.N. Baillargeon and J.J. Coleman, Characterization of mismatched InAs–GaAs heterostructures grown by metalorganic chemical vapor deposition 93 (1988) 512
Yoshida, I., see Karam 93 (1988) 254
Yoshida, K. see Kamei 93 (1988) 329

Yoshida, N., T. Kimura, K. Mizuguchi, Y. Ohkura, T. Murotani and A. Kawagishi, Extremely low threshold InGaAsP/InP DFB laser by MOCVD/LPE hybrid process 93 (1988) 832
Yoshikawa, A., T. Sugino, A. Nakamura, G. Kano and I. Teramoto, Direct MOVPE growth of InP on GaAs substrates 93 (1988) 532
Yoshikawa, A., S. Muto, S. Yamaga and H. Kasai, Growth and properties of lithium-doped ZnSe films by atmospheric pressure metalorganic vapor phase epitaxy 93 (1988) 697
Yoshikawa, A., see Oniyama 93 (1988) 679
Yoshikawa, A., A. Yamamoto, M. Hirose, T. Sugino, G. Kano and I. Teramoto, A self-aligned ridge substrate laser fabricated by single-step MOVPE 93 (1988) 843
Yoshikawa, M., see Maruyama 93 (1988) 761
Yoshino, J., see Hara 93 (1988) 771
Yu, K.Y., see Lee 93 (1988) 539
Yun, C.P., see Bhat 93 (1988) 850
Yuri, M., see Ozasa 93 (1988) 177

Zachau, M., see Grützmacher 93 (1988) 382
Zah, C., see Bhat 93 (1988) 939
Zawadzki, P.A., see Tompa 93 (1988) 220
Zehr, S.W., see Hess 93 (1988) 576
Zempo, Y., see Hata 93 (1988) 543
Zhang, Y. and M. Stuke, UV excimer laser photochemistry of gaseous and surface adsorbed organometallics 93 (1988) 143
Zielinski, E., see Streubel 93 (1988) 347
Zrenner, A., see Grützmacher 93 (1988) 382

Journal of Crystal Growth 93 (1988) 954–957
North-Holland, Amsterdam

SUBJECT INDEX

Adduct 20, 41, 45, 134, 347, 466, 539, 607, 744
Adsorption 108, 143, 190, 301, 359, 504, 624
Alloys 201, 776
Aluminum
– arsenide 195, 809
– gallium arsenide 1, 83, 195, 220, 228, 279, 292, 307, 312, 434, 494, 543, 631, 637, 646, 650, 803, 814, 843, 850, 877, 900, 934, 935, 940
– gallium indium phosphide 93, 396, 412, 426, 613
– indium arsenide 329, 517, 820, 892, 911
– indium phosphide 396
– organic 1, 83, 143, 165, 195, 220, 228, 279, 292, 307, 312, 329, 389, 406, 412, 426, 517, 543, 613, 631, 637, 646, 650, 771, 782, 803, 814, 820, 843, 850, 877, 892, 911, 931
Antimony
– organic 56, 62, 70
Apparatus
– for thin film growth
– – by metalorganic molecular beam epitaxy
– – – of II–VI compounds 720
– – – of zinc selenide 679
– – by vapor phase epitaxy
– – – through metalorganic chemical vapor deposition
– – – – of aluminum gallium arsenide 279
– – – – of gallium arsenide 20, 279, 527, 557
– – – – of gallium indium arsenide 353
– – – – of indium gallium arsenide phosphide 235
– – – – of indium phosphide 52, 235, 242, 353, 527
– – – – of III–V compounds 312
– – – – of zinc selenide 697
– – – – using multiwafer reactor system
– – – – – of III–V compounds 207, 292
– – – – using pulse reactor system
– – – – – of III–V compounds 201
– – – – using rotating sample holder
– – – – – of aluminum gallium arsenide 220
– – – – – of gallium arsenide 220
– – – – – of gallium indium arsenide 216
– – – – – of indium phosphide 216
– – – – using vertical rotating disk reactor
– – – – – of aluminum gallium arsenide 228
– – – – – of gallium arsenide 228
– – – – using photoassistance
– – – – – of cadmium telluride 750
– for miscellaneous purposes
– – metalorganic chemical vapor deposition of semiconductors 201
– – safety system for metalorganic vapor phase epitaxy 279
Arsenic
– organic 1, 7, 15, 20, 29, 134
Arsine 151, 159
Barium
– organic 929
Boundary layer control 228, 932
Cadmium
– mercury telluride 732, 755, 930, 937
– organic 607, 667, 726, 732, 750, 755, 761, 885, 930
– telluride 726, 750, 761, 930
– zinc telluride 667
Chalcopyrite compound 771
Characterization methods
– by absorption spectroscopy 165, 376, 686, 714, 750, 782, 877, 919
– by atomic absorption spectrometry 686
– by Auger electron spectroscopy 539
– by cathodoluminescence 935
– by deep level transient spectroscopy 569
– by differential scanning calorimetry 589
– by electrical methods 1, 7, 29, 34, 41, 45, 52, 56, 62, 70, 79, 83, 88, 127, 182, 207, 216, 220, 228, 235, 265, 279, 285, 292, 307, 312, 329, 336, 382, 426, 449, 481, 517, 532, 539, 543, 557, 562, 569, 576, 594, 602, 607, 613, 618, 624, 631, 646, 650, 692, 697, 703, 732, 755, 776, 782, 792, 803, 809, 814, 820, 838, 843, 857, 863, 870, 877, 885, 892, 900, 905, 911, 919, 924, 929, 930, 939, 940
– by electroluminescence 79, 686
– by electron beam induced current 449
– by electron diffraction 406, 412, 418, 466
– by electron energy loss spectroscopy 937
– by electron microscopy 1, 7, 70, 98, 182, 195, 235, 248, 279, 292, 329, 365, 370, 376, 389, 406, 412, 418, 426, 443, 449, 459, 466, 475, 487, 494, 499, 504, 512, 517, 527, 539, 650, 667, 673, 720, 726, 732, 750, 755, 766, 776, 782, 792, 803, 809, 820, 825, 832, 843, 850, 857, 863, 870, 877, 892, 905, 919, 929, 934, 935, 937
– by electron probe microanalysis 62, 93, 177, 466, 782, 892
– by extended X-ray absorption fine structure 301
– by Fourier transform infrared 307, 686, 782
– by inductively coupled plasma spectrometry 29
– by infrared detector properties 732
– by infrared diode laser spectroscopy 127
– by laser velocimetry 270
– by laser visualization 270
– by mass spectrometry 15, 41, 52, 98, 134, 143, 265
– by nuclear magnetic resonance 744
– by optical microscopy 56, 170, 177, 248, 254, 336, 389, 466, 494, 523, 527, 607, 656, 667, 679, 761, 771, 776, 863, 885, 892, 940
– by optical properties 708
– by optical spectroscopy 931
– by photoacoustic spectroscopy 406

- by photoluminescence 1, 7, 29, 34, 41, 45, 52, 56, 70, 83, 88, 93, 170, 195, 207, 220, 228, 235, 254, 259, 265, 285, 292, 301, 312, 323, 329, 336, 347, 353, 359, 365, 370, 376, 382, 389, 406, 412, 426, 459, 466, 487, 499, 523, 532, 539, 543, 550, 583, 656, 662, 667, 679, 686, 692, 697, 703, 714, 720, 750, 771, 776, 782, 792, 814, 825, 832, 838, 857, 863, 870, 892, 905, 911, 936, 939
- by Raman spectroscopy 70, 93, 151, 159, 270, 292, 412, 466, 487, 720
- by reflectance-difference spectroscopy 931
- by reflection high energy electron diffraction 532, 720, 726, 755, 766
- by reflectivity 83, 481, 809
- by Rutherford back scattering 301, 539
- by secondary ion mass spectrometry 29, 70, 120, 235, 466, 487, 499, 543, 550, 569, 583, 607, 613, 618, 624, 632, 637, 646, 650, 744, 782, 825, 892, 924
- by thermogravimetry 589
- by transmission spectroscopy 70, 98, 165, 353, 732, 750, 755, 857, 877
- by X-ray photoelectron spectroscopy 662, 750
- by X-ray techniques 1, 34, 45, 62, 79, 83, 93, 177, 220, 235, 254, 279, 285, 301, 312, 318, 329, 342, 347, 353, 376, 406, 449, 466, 475, 481, 499, 517, 523, 527, 532, 539, 613, 667, 679, 686, 692, 703, 720, 732, 750, 755, 766, 771, 776, 782, 792, 825, 832, 857, 863, 905, 911, 937, 939, 940

Cobalt
- complex 576

Computer simulation 207, 228

Convection 270, 594

Copper
- aluminum disulphide 771
- complex 771
- gallium diselenide 771
- gallium disulphide 771
- organic 929

Devices 79, 279, 292, 312, 569, 576, 589, 637, 646, 667, 673, 692, 776, 782, 792, 803, 809, 820, 825, 832, 838, 843, 877, 885, 892, 900, 905, 911, 919, 924, 939, 940

Diffusional control 242, 248, 336, 624, 650, 732, 814

Diodes 631, 732, 792, 803, 832, 857, 863, 877

Dislocations 70, 449, 459, 475, 487, 494, 499, 504, 517, 523, 527, 662, 726, 776, 814, 825, 892, 940

Distribution coefficient 602

Domain structure 761

Dopants 1, 79, 83, 88, 182, 207, 220, 228, 279, 285, 292, 312, 329, 382, 406, 481, 550, 562, 569, 576, 583, 589, 594, 602, 607, 613, 618, 624, 631, 637, 646, 650, 692, 703, 776, 838, 863, 885, 892, 905, 911, 924

Erbium
- organic 583

Etching
- chemical 56, 88, 182, 228, 242, 248, 259, 265, 342, 365, 459, 494, 523, 527, 543, 662, 667, 673, 692, 703, 714, 726, 761, 766, 803, 814, 820, 832, 850, 905, 924
- thermal 667, 771

Finite element method 323, 900

Gallium
- aluminum arsenide 207, 809
- aluminum indium arsenide 782
- aluminum phosphide 475
- antimonide 56, 70
- arsenide 1, 7, 15, 20, 29, 56, 98, 108, 120, 127, 134, 151, 159, 170, 182, 190, 195, 207, 228, 254, 265, 279, 292, 301, 312, 336, 342, 434, 443, 449, 459, 466, 475, 481, 487, 494, 499, 512, 523, 527, 539, 543, 550, 557, 569, 583, 594, 602, 624, 631, 637, 646, 650, 776, 803, 809, 877, 885, 900, 905, 931, 932, 934, 935, 936, 939
- arsenide phosphide 449, 499, 504
- indium antimonide 70
- indium arsenide 34, 45, 216, 323, 329, 347, 353, 359, 382, 776, 820, 892, 911, 919
- indium arsenide phosphide 776
- indium phosphide 396, 426, 618
- indium phosphide arsenide 88, 285, 365, 370, 376, 382
- nitride 79
- organic 1, 7, 15, 20, 29, 45, 56, 62, 70, 79, 83, 88, 98, 108, 115, 120, 134, 143, 151, 165, 182, 190, 195, 207, 216, 220, 228, 254, 265, 279, 285, 292, 301, 307, 312, 329, 342, 347, 353, 359, 365, 370, 376, 382, 389, 406, 412, 418, 426, 443, 449, 466, 475, 487, 499, 504, 512, 517, 523, 527, 539, 543, 550, 557, 569, 583, 594, 602, 607, 613, 618, 624, 631, 637, 646, 650, 776, 782, 792, 803, 809, 814, 820, 832, 838, 843, 850, 857, 863, 870, 877, 885, 892, 905, 911, 919, 924, 931, 939
- phosphide 499
- phosphide antimonide 62

Heat flow control 207, 237, 270

Heterojunction 70, 170, 207, 235, 242, 285, 292, 301, 329, 336, 342, 353, 365, 370, 382, 389, 434, 466, 481, 499, 569, 624, 631, 646, 650, 662, 667, 692, 726, 776, 782, 803, 820, 825, 832, 838, 850, 863, 870, 877, 885, 892, 900, 905, 911, 919, 924, 936

Hydrocarbons 550, 766

Hydrodynamics 270

Impurity 7, 79, 120, 254, 265, 285, 382, 543, 550, 557, 562, 569, 583, 618, 624, 631, 667, 692, 703, 870, 892, 900, 911

Indium
- aluminum gallium phosphide 389, 406
- arsenide 301, 342, 512, 936
- gallium arsenide 182, 336, 449, 459, 466, 475, 517, 863, 870, 931
- gallium arsenide phosphide 235, 318, 792, 825, 832, 838, 857, 863, 885, 924
- gallium phosphide 177, 418, 905
- organic 34, 41, 45, 62, 70, 88, 151, 216, 242, 248, 301, 329, 342, 347, 353, 359, 365, 370, 376, 382, 389, 406, 412, 418, 426, 449, 466, 475, 512, 517, 523, 527, 532, 539, 562, 576, 583, 607, 613, 776, 782, 820, 825, 832, 838, 857, 885, 905, 911, 919, 924

– phosphide 34, 41, 45, 52, 151, 216, 235, 248, 318, 323, 347, 353, 359, 365, 370, 376, 382, 523, 527, 532, 539, 562, 576, 583, 607, 776, 820, 825, 832, 838, 863, 870, 885, 911, 919, 931
– phosphide antimonide 62, 88, 242, 318
Interface 70, 143, 170, 228, 235, 285, 312, 336, 347, 359, 370, 382, 512, 650, 662, 667, 755, 776, 782, 814, 820, 825, 863, 892, 900, 924, 934, 935
Iodine
– organic 703
Iron
– complex 885

Kinetics
– of gas phase reaction 151
– of growth 1, 7, 15, 20, 34, 52, 98, 108, 115, 127, 134, 151, 165, 190, 195, 207, 216, 228, 242, 248, 254, 259, 265, 285, 292, 396, 418, 466, 504, 673, 679, 686, 720, 732, 820, 885, 919, 929, 930, 931, 932
– of interface control 170, 512, 650
– of nucleation 170, 820

Lasers 1, 248, 285, 312, 365, 389, 434, 576, 613, 650, 673, 776, 792, 803, 809, 814, 820, 825, 832, 838, 843, 850, 857, 863, 885, 939
Lattice mismatch 70, 93, 285, 329, 336, 347, 376, 389, 406, 412, 418, 426, 434, 459, 466, 475, 494, 512, 527, 532, 539, 613, 618, 662, 667, 726, 771, 776, 782, 825, 832, 892, 905, 911
Light emitting diodes 79, 792
Lithium
– complex 697

Magnesium
– complex 613, 624, 646, 650
– organic 569
Manganese
– complex 686, 885
– organic 589
Mathematical model 108
Mercury
– cadmium telluride 732, 755, 930, 937
Morphological stability 177, 359
Morphology of growth 1, 7, 70, 170, 177, 182, 190, 265, 443, 466, 475, 532, 667, 726, 761, 892

Nucleation 170, 443, 820
Numbers
– Grashof 270
– Reynolds 220, 270

Perfection of crystals 70, 285, 475, 487, 494, 504, 527, 569, 726, 766, 814, 825, 937
Phase diagrams 62
Phosphine 151
Phosphorus
– organic 347, 466, 607
Precursor 1, 7, 15, 20, 29, 34, 41, 45, 56, 62, 70, 79, 83, 88, 98, 115, 127, 134, 143, 165, 182, 190, 195, 248, 254, 259, 265, 279, 285, 292, 301, 307, 312, 329, 342, 347, 353, 359, 365, 370, 376, 382, 389, 406, 412, 418, 426, 443, 449, 466, 475, 487, 499, 504, 512, 517, 523, 527, 532, 539, 543, 550, 557, 562, 569, 576, 594, 602, 607, 613, 618, 624, 631, 637, 646, 650, 656, 662, 667, 673, 679, 686, 692, 697, 703, 714, 720, 726, 732, 744, 750, 755, 771, 776, 782, 792, 803, 809, 814, 820, 825, 832, 838, 843, 850, 857, 863, 870, 885, 892, 905, 911, 919, 924, 929, 930, 931, 939
Purification of materials 45, 543, 589, 667, 744, 870

Quantum wells/size effects 45, 70, 170, 195, 207, 285, 307, 312, 318, 323, 329, 336, 347, 353, 359, 365, 370, 376, 382, 389, 434, 466, 512, 714, 776, 782, 850, 857, 863, 877, 905, 911, 934, 935

Safety instrumentation 29, 279, 792
Selenium
– organic 259, 662, 673, 697
Silicon 932
– carbide 766
– hydrides 594, 618, 631, 637, 650, 905, 939
Statistical mechanics, molecular theory 108
Step 170, 370, 396, 935
Strain 70, 254, 336, 459, 466, 475, 481, 487, 494, 499, 512, 667, 708, 714, 720, 726, 776
Sulphur
– organic 259, 662
Superconductivity
– characterization 929
– high T_c 929
– thin films 929
Superlattices 201, 292, 301, 307, 318, 336, 342, 353, 359, 370, 376, 396, 412, 434, 449, 459, 466, 475, 494, 499, 512, 527, 667, 708, 714, 720, 726, 776, 911
Surface processes, theory 29, 98, 108, 115, 151, 190, 594, 650
Surface structure 88, 98, 170, 177, 359, 396, 667, 885, 931

Tellurium
– organic 143, 637, 667, 726, 732, 744, 750, 755, 761, 919
Thermodynamics 108, 115, 159, 170, 177, 504, 732
Thin film growth
– by atomic layer epitaxy
– – of aluminum arsenide 195
– – of aluminum gallium arsenide 195
– – of gallium arsenide 182, 190, 195, 342, 557
– – of indium arsenide 342
– – of indium gallium arsenide 182
– by chemical beam epitaxy
– – of gallium arsenide 265
– by metalorganic molecular beam epitaxy
– – of II–VI compounds 720
– – of zinc selenide 679
– by vapor phase epitaxy
– – through chemical vapor deposition
– – – of indium phosphide 52
– – – of silicon carbide 766
– – through metalorganic chemical vapor deposition

– – – of aluminum arsenide 809
– – – of aluminum gallium arsenide 1, 83, 220, 228, 279, 292, 307, 312, 494, 543, 631, 637, 646, 650, 803, 809, 814, 843, 850, 877, 900, 934, 940
– – – of aluminum gallium indium phosphide 93, 412, 426, 613
– – – of aluminum indium arsenide 329, 517, 820, 892, 911
– – – of cadmium mercury telluride 732, 755, 930, 937
– – – of cadmium telluride 726, 750, 761
– – – of cadmium zinc telluride 667
– – – of chalcopyrite compounds 771
– – – of gallium aluminum arsenide 207
– – – of gallium aluminum indium arsenide 782
– – – of gallium antimonide 56, 70
– – – of gallium arsenide 1, 7, 15, 29, 56, 108, 120, 127, 134, 151, 170, 207, 220, 228, 279, 292, 301, 312, 336, 443, 449, 459, 466, 475, 481, 487, 494, 499, 512, 523, 527, 539, 543, 550, 569, 583, 594, 602, 624, 631, 637, 646, 650, 776, 803, 809, 877, 900, 905, 931, 934, 936, 939
– – – of gallium arsenide phosphide 449, 475, 499, 504
– – – of gallium indium antimonide 70
– – – of gallium indium arsenide 34, 45, 216, 329, 336, 347, 353, 359, 382, 449, 459, 466, 475, 517, 776, 820, 863, 870, 885, 892, 911, 919
– – – of gallium indium arsenide phosphide 776
– – – of gallium nitride 79
– – – of gallium phosphide 499
– – – of gallium phosphide antimonide 62
– – – of indium aluminum gallium phosphide 389, 406
– – – of indium arsenide 301, 512, 936
– – – of indium gallium arsenide phosphide 88, 235, 285, 365, 370, 376, 382, 792, 825, 832, 838, 857, 863, 885, 924
– – – of indium gallium phosphide 177, 396, 418, 426, 618, 905
– – – of indium phosphide 34, 41, 45, 88, 151, 216, 235, 242, 248, 347, 353, 359, 365, 370, 376, 382, 523, 527, 532, 539, 562, 576, 583, 607, 776, 820, 825, 832, 838, 863, 870, 885, 911, 919
– – – of indium phosphide antimonide 62
– – – of silicon 932
– – – of III–V compounds 434, 776
– – – of II–V compounds 589
– – – of yttrium barium cuprate 929
– – – of zinc selenide 656, 692, 697, 703, 714
– – – of zinc sulphide 686, 714
– – – of zinc sulphoselenide 662, 673, 708
– – – of zinc telluride 667, 726, 755
– – – using a pulse reactor system
– – – – of III–V compounds 201
– – – using laser assistance
– – – – of III–V compounds 254
– – – using photo assistance
– – – – of zinc selenide 259
– – – – of zinc sulphide 259
– – through molecular layer epitaxy
– – – of gallium arsenide 98
– – through photo metalorganic vapor phase epitaxy
– – – of cadmium mercury telluride 732
– – theory of 15, 108, 115
Three–five (III–V) compounds 182, 201, 207, 254, 434, 776, 931
Two–six (II–VI) compounds 589, 720, 726, 744, 930

Waveguide 708, 782, 820, 850

Yttrium
– barium cuprate 929
– organic 929

Zinc
– chalcogenides 720
– organic 259, 312, 365, 412, 569, 607, 613, 624, 637, 656, 673, 679, 686, 692, 697, 703, 714, 720, 726, 755, 803, 809, 814, 820, 825, 832, 838, 843, 863, 919
– selenide 259, 656, 673, 679, 692, 697, 703, 714
– sulphide 259, 686, 714
– sulphoselenide 662, 708
– telluride 726, 755